

L Number	Hits	Search Text	DB	Time stamp
-	1738	((memory adj cell) with ((part or portion or first or section or segment) adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:40
-	814	(711/103).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:36
-	8	((memory adj cell) with ((part or portion or first or section or segment) adj data) and ((711/103).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 11:14
-	25	((memory adj cell) with ((part or portion or first or section or segment) adj data) same (first adj (register or FIFO or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:45
-	791	(365/189.04).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 11:10
-	1288	711/103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 11:10
-	15	((365/189.04).CCLS.) and 711/103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 11:13
-	48292	word adj line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 11:14
-	330	((365/189.04).CCLS.) and (word adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 11:14
-	1738	((memory adj cell) with ((part or portion or first or section or segment) adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 11:19
-	57	((365/189.04).CCLS.) and (((memory adj cell) with ((part or portion or first or section or segment) adj data)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 11:18
-	308	((memory adj cell) with ((part or portion or first or section or segment) adj data) with (word adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 13:33
-	126	(710/7).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 11:25
-	258	(710/20).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 11:25

-	168	(710/21).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 11:25
-	0	((memory adj cell) with ((part or portion or first or section or segment) adj data) with (word adj line) same (overlap\$5 or concurrent\$2 or simultaneous\$2 or parallel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 11:25
-	8	((memory adj cell) with ((part or portion or first or section or segment) adj data) with (word adj line) with (concurrent\$2 or overlap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 13:42
-	2	((memory adj cell) with ((part or portion or first or section or segment) adj data) with (word adj line) with (concurrent or overlap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 14:18
-	970	((memory adj cell) with ((part or portion or first or section or segment) adj data) with (writ\$3 or stor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 14:22
-	79	((memory adj cell) with ((part or portion or first or section or segment) adj data) with (writ\$3 or stor\$4) with (registe or buffer or FIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 14:34
-	5	((memory adj cell) with ((part or portion or first or section or segment) adj data) with (writ\$3 or stor\$4) with (first adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 14:38
-	814	(711/103).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 14:43
-	1	((part or portion or first or section or segment) adj data) with (writ\$3 or stor\$4) with (first adj (registe or buffer or FIFO))) and ((711/103).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 14:43
-	5	((part or portion or first or section or segment) adj data) with (writ\$3 or stor\$4) with (first adj (registe or buffer or FIFO)) with (memory adj cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 14:48
-	132	((part or portion or first or section or segment) adj data) near10 (writ\$3 or stor\$4) near10 (first adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 14:52
-	102	((part or portion or first or section or segment) adj data) near5 (writ\$3 or stor\$4) near10 (first adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 14:58
-	1	((part or portion or first or section or segment) adj data) near5 (writ\$3 or stor\$4) near10 (first adj (registe or buffer or FIFO)) same overlap\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 14:57
-	90	((part or portion or first or section or segment) adj data) near5 (writ\$3 or stor\$4) near5 (first adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:00

-	90	((part or portion or first or section or segment) adj data) near5 (writ\$3 or stor\$4) near5 (first adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:27
-	15	((part or portion) adj data) near5 (writ\$3 or stor\$4) near5 (first adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:33
-	168	(710/21).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:19
-	6	((part or portion) adj data) near5 (writ\$3 or stor\$4) near5 (first adj (registe or buffer or FIFO)) same (second adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:29
-	0	((memory adj cell) with ((part or portion or first or section or segment) adj data) with (writ\$3 or stor\$4) with (registe or buffer or FIFO)) and ((710/21).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:23
-	0	((part or portion or first or section or segment) adj data) near5 (writ\$3 or stor\$4) near5 (first adj (registe or buffer or FIFO)) ) and ((710/21).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:24
-	258	(710/20).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:24
-	0	((part or portion or first or section or segment) adj data) near5 (writ\$3 or stor\$4) near5 (first adj (registe or buffer or FIFO)) ) and ((710/20).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:25
-	173	((part or portion or first or section or segment) adj data) with (writ\$3 or stor\$4) with (first adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:28
-	0	((part or portion or first or section or segment) adj data) near5 (writ\$3 or stor\$4) near5 (first adj (registe or buffer or FIFO)) ) and ((710/20).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:27
-	1	((711/103).CCLS.) and ((part or portion or first or section or segment) adj data) near5 (writ\$3 or stor\$4) near5 (first adj (registe or buffer or FIFO)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:27
-	1	((part or portion or first or section or segment) adj data) with (writ\$3 or stor\$4) with (first adj (registe or buffer or FIFO))) and ((710/20).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:28
-	34	((first or portion) adj data) near stor\$3 near (first adj (register or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:36
-	35	((part or portion or first) adj data) near5 (writ\$3 or stor\$4) near5 (first adj (registe or buffer or FIFO)) same (second adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 15:47

-	65	((part or portion or first) adj data) near10 (writ\$3 or stor\$4) near10 (first adj (registe or buffer or FIFO)) same (second adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:05
-	0	((part or portion or first) adj data) near10 (writ\$3 or stor\$4) near10 (first adj (registe or buffer or FIFO)) same (second adj (registe or buffer or FIFO)) near10 interleav\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:03
-	275	(711/157).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:01
-	1	((part or portion or first) adj data) near10 (writ\$3 or stor\$4) near10 (first adj (registe or buffer or FIFO)) same (second adj (registe or buffer or FIFO)) ) and ((711/157).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:03
-	108	(first adj data) near10 (writ\$3 or stor\$4) near10 (first adj (registe or buffer or FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:13
-	1	(first adj data) near10 (writ\$3 or stor\$4) near10 (first adj (registe or buffer or FIFO)) near10 (memory adj cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:13
-	14	(first adj data) near10 (writ\$3 or stor\$4) near10 ((first adj (registe or buffer or FIFO)) and (second adj (register or buffer or FIFO)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:18
-	50185	register\$1 near2 (two or plurality or multipl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:29
-	6949	(register\$1 near2 (two or plurality or multipl\$5)) same input\$4 same (memory or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:30
-	814	(711/103).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:30
-	19	((register\$1 near2 (two or plurality or multipl\$5)) same input\$4 same (memory or storage)) and ((711/103).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/29 16:30
-	61	(word adj line) near10 ((part or first or portion) adj data) near5 (read\$3 or output\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/30 08:42
-	2	(select\$3 near5 (word adj line)) near10 (read\$3 near5 ((part or portion) adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/30 08:39
-	17	(word adj line) near10 ((part or first or portion) adj data) near5 (read\$3 or output\$4)) same (overlap\$4 or concurrent\$2 or parallel or simutanous\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/30 09:17